

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	((branch near2 predict\$4)near3 instruction\$1)with (inactive or idle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:01
L2	0	l1 and ((regulat\$4 or control\$4 or adjust\$4)near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:02
L3	24671	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:02
L4	0	l3 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same ((branch adj2 predict\$4)near4 (code or instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:09
L5	4	l3 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:09
L6	205	(((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:10
L7	9	((regulat\$4 or control\$4 or adjust\$4)near3 voltage)near6 (function with (inactive or idle or wait))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:26
L8	9	((regulat\$4 or control\$4 or adjust\$4 or reduc\$4)near3 voltage)near6 (function with (inactive or idle or wait))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:24

S1	6	("4677566" "5019996" "5448716" "5440520" "6002630" "6519704"). pn.	USPAT	OR	ON	2005/04/20 08:26
S2	1631	((control\$4 or regulat\$4 or adjust\$4 or manag\$4)near4 (power or voltage))with ((particular or specific)near3 (time or period or slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S3	0	S2 same ((between or gap) near3 (instruction or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S4	84	S2 same ((instruction or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S5	35	S2 with ((instruction or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:51
S6	5	((control\$4 or regulat\$4 or adjust\$4 or manag\$4)near4 (power or voltage))near6 ((time or period or slot) with (between near2(instruction or code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:38
S7	14	((control\$4 or regulat\$4 or adjust\$4 or manag\$4)near4 (power or voltage))with ((time or period or slot) near6 (between near2(instruction or code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:38
S8	799	((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1 or operation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:06
S9	21	((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:02

S10	46	((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)same((between or (idle near2 (time or period))) near6 (instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:06
S11	24671	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:06
S12	4	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1 or operation\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:09
S13	11	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1 or operation\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:29
S14	12	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between or ((inactive or idle) near2 (time or period))) near6 (branch or (float\$4 near2 point) or instruction\$1 or operation\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:34
S15	13	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between near6 (inactive or idle or branch or (float\$4 near2 point) or instruction\$1 or operation\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:36
S16	3381	((((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between near6 (inactive or idle or branch or (float\$4 near2 point) or instruction\$1 or operation\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:37

S17	117	S16 same (time near3 period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:38
S18	0	S16 same ((time near3 period)near2 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:38
S19	0	S16 same ((time near3 period)near3 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:39
S20	0	S16 same ((time near2 period)near5 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:39
S21	3	S16 same ((between near2 (idle or inactive))near4 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	((branch near2 predict\$4)near3 instruction\$1)with (inactive or idle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:01
L2	0	l1 and ((regulat\$4 or control\$4 or adjust\$4)near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:02
L3	24671	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:02
L4	0	l3 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same ((branch adj2 predict\$4)near4 (code or instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:09
L5	4	l3 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:09
L6	205	((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:10
L7	9	((regulat\$4 or control\$4 or adjust\$4)near3 voltage)near6 (function with (inactive or idle or wait))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:26
L8	9	((regulat\$4 or control\$4 or adjust\$4 or reduc\$4)near3 voltage)near6 (function with (inactive or idle or wait))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:24
L12	1	"5785829".pn.	USPAT	OR	ON	2005/04/25 08:58

L13	1	"5787014".pn.	USPAT	OR	ON	2005/04/25 09:01
L14	1	"5996083".pn..pn.	USPAT	OR	ON	2005/04/25 09:04
L15	1	"6519704".pn.	USPAT	OR	ON	2005/04/25 09:04
S1	6	("4677566" "5019996" "5448716" "5440520" "6002630" "6519704").pn.	USPAT	OR	ON	2005/04/20 08:26
S2	1631	((control\$4 or regulat\$4 or adjust\$4 or manag\$4)near4 (power or voltage))with ((particular or specific)near3 (time or period or slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S3	0	S2 same ((between or gap) near3 (instruction or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S4	84	S2 same ((instruction or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S5	35	S2 with ((instruction or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:51
S6	5	((control\$4 or regulat\$4 or adjust\$4 or manag\$4)near4 (power or voltage))near6 ((time or period or slot) with (between near2(instruction or code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:38
S7	14	((control\$4 or regulat\$4 or adjust\$4 or manag\$4)near4 (power or voltage))with ((time or period or slot) near6 (between near2(instruction or code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:38
S8	799	((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1 or operation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:06

S9	21	((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:02
S10	46	((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)same((between or (idle near2 (time or period))) near6 (instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:06
S11	24671	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:06
S12	4	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1 or operation\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:09
S13	11	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between or (idle near2 (time or period))) near6 (instruction\$1 or operation\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:29
S14	12	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between or ((inactive or idle) near2 (time or period))) near6 (branch or (float\$4 near2 point) or instruction\$1 or operation\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:34
S15	13	S11 and (((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between near6 (inactive or idle or branch or (float\$4 near2 point) or instruction\$1 or operation\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:36

S16	3381	((((reduc\$4 or lower\$4 or minimum or minimiz\$4 or alter\$5 or chang\$4 or control\$4 or adjust\$4)near3 voltage)with((between near6 (inactive or idle or branch or (float\$4 near2 point) or instruction\$1 or operation\$1))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:37
S17	117	S16 same (time near3 period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:38
S18	0	S16 same ((time near3 period)near2 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:38
S19	0	S16 same ((time near3 period)near3 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:39
S20	0	S16 same ((time near2 period)near5 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:39
S21	3	S16 same ((between near2 (idle or inactive))near4 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 16:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	((branch near2 predict\$4)near3 instruction\$1)with (inactive or idle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:01
L2	0	l1 and ((regulat\$4 or control\$4 or adjust\$4)near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:02
L3	24671	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:11
L4	0	l3 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same ((branch adj2 predict\$4)near4 (code or instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:09
L5	4	l3 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:11
L6	205	(((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:10
L7	9	((regulat\$4 or control\$4 or adjust\$4)near3 voltage)near6 (function with (inactive or idle or wait))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:26
L8	9	((regulat\$4 or control\$4 or adjust\$4 or reduc\$4)near3 voltage)near6 (function with (inactive or idle or wait))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 08:24
L12	1	"5785829".pn.	USPAT	OR	ON	2005/04/25 08:58

L13	1	"5787014".pn.	USPAT	OR	ON	2005/04/25 09:43
L14	1	"5996083".pn. pn.	USPAT	OR	ON	2005/04/25 09:04
L15	1	"6519704".pn.	USPAT	OR	ON	2005/04/25 09:32
L16	4	("5778237" "5787294" "5142684" "5727191").pn.	USPAT	OR	ON	2005/04/25 09:37
L17	0	EP0849660	US-PGPUB; DERWENT	OR	ON	2005/04/25 09:38
L18	3	"0849660"	US-PGPUB; DERWENT	OR	ON	2005/04/25 09:38
L19	3	"0849660"	DERWENT	OR	ON	2005/04/25 09:38
L20	0	EP0849660A	DERWENT	OR	ON	2005/04/25 09:39
L22	1	"6785829".pn.	USPAT	OR	ON	2005/04/25 09:46
L23	1	"5440520".pn.	USPAT	OR	ON	2005/04/25 09:44
L24	10	((REDUC\$5 OR LOWER\$4 OR CHANG\$4 OR ALTER\$4 OR SELECT\$4)NEAR3 VOLTAGE)WITH (BETWEEN NEAR2 INSTRUCTION\$1)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/25 09:49
L25	2	((REDUC\$5 OR LOWER\$4 OR CHANG\$4 OR ALTER\$4 OR SELECT\$4)NEAR3 VOLTAGE)WITH (BETWEEN NEAR2 INSTRUCTION\$1)	EPO; JPO; DERWENT	OR	ON	2005/04/25 09:48
L26	70886	"365"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:11
L27	6	l26 and (((regulat\$4 or control\$4 or adjust\$4)near3 voltage)same (function with (inactive or idle or wait)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:26
L28	2	"4990847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:26